





The custom
solutions that
let you make
your mark.

2026
**Retail Technology
Catalog**



Contents

Retail Technology:	02
eShelf® Overview	03
eShelf® Stretch Screens	04
eShelf® Header Displays	06
eShelf® Tablet Size	08
eShelf® Digital Display Box	09
eShelf® Digital Photo Frame	10
eShelf® Mounting Brackets	11
LoziBoxx™	12
Shelftag Lighting Fixture	13
Shelf Lighting	14
Shelf Electrification Solutions:	16
PowerTraxx™ Roll It!	17
LoziTraxx™	18
PowerTraxx™ Mount It!	19
Magnetic Cable Channel	20



Blending interactive
displays and innovative
lighting.

Retail Technology



eShelf®

All-in-One LCD Screen, Shelf Tag & Shelf Light

Take consumer engagement to new levels with the eShelf® stretch screen and lighting system. This tool combines interactive front display screens, stand-out product illumination and those extra tools you need to shine in a snap.

Perfect for retail: supermarkets, liquor stores, department stores, and other retail applications.

eShelf® is also a way to communicate across healthcare, industrial, and hospitality applications.



Electronic Shelf Tag

Enhance your customers' shopping experience with easy to update digital pricing that keeps up with your business.

Touch Screen Kiosk

Empower shoppers with instant access to pricing, product details, and special offers—right at the shelf.



Product Lighting

Put products in the right light by pairing eShelf with linear downlighting. With LUXX, downlighting options can retrofit a shelf in no time.

It's Easy to Get Started

- **Create it.** Our Vibrant LCD screen can be used to take your in-store product advertising and communications to the next level. From displaying engaging commercials and videos to spotlighting pricing, content management is quick and easy via the built-in WiFi.
- **Mount it.** Easily mount eShelf to your existing shelving using our wide range of brackets.
- **Power it.** LUXX PowerTraxx™ lets you electrify retail shelving in minutes - no downtime or complicated setups.

eShelf®

Stretch Screens

Dramatically improve the way you display product pricing and information using the all- in-one eShelf®.

Our stretch screens let you easily display and update product information and video advertisements while illuminating the shelf compartment with the led light fixture on the back.

- Low operating temperature
- ESL function
- Touch screen
- Movement sensor
- Kiosk function
- Vibrant LCD Display
- Offered in Android 11 for enhanced data safety, touch interface, video playback multi-tasking and more



Various Sizes

8.8" to 47.1" for shelves up to 1.2m



Clean Look

eShelf stretch screens are slim and elegant, blending into retail environments



Bright and Crisp

Clear signage that stands out on shelving

COMPATABLE MOUNTING BRACKETS

Type
Standard Flat Bracket
Standard L-Shaped Bracket
Tego Shelf Bracket
Lozier Shelf Bracket
Madix Shelf Bracket
Glass Shelf Bracket (set)

SYSTEM AND CONNECTIVITY

Android System	WIFI	Encryption
Android 8.1	2.4G	/
Android 11.0	2.4G + 5G	WPA2/WPA3

WARRANTY & CERTIFICATIONS



eShelf®
Stretch Screens

SPECIFICATIONS

Model	Screen Size	Resolution V x H (px)	Active Area H x V (mm)	Dimension L x H x D (mm)	Brightness (nits)	Contrast Ratio	Display Color	Lifespan	System	Input Voltage	Polarity Protection	Power	Power Input Interface	SKU			
ESP10	8.8"	1920 x 480	218.88 x 54.72	240.6 x 69.6 x 16	500cd/	800:1	16.7M	30000 hours	Android 8.1	12V DC	yes	≤10W	USB-C	LUXX-ESP10-500-12-A8.1-XXX			
										15-36V DC				LUXX-ESP10-500-24-A8.1-XXX			
									Android 11.0	12V DC				LUXX-ESP10-500-12-A11-XXX			
										15-36V DC				LUXX-ESP10-500-24-A11-XXX			
Screen Protector														LUXX-ESP10-PC			
ESP30	23.1"	1920 x 158	585.6 x 48.19	597.2 x 61.8 x 15	700cd/	1000:1	16.7M	30000 hours	Android 8.1	12V DC	yes	≤18W	USB-C	LUXX-ESP30-700-12-A8.1-XXX			
				15-36V DC						LUXX-ESP30-700-24-A8.1-XXX							
				Android 11.0					12V DC	LUXX-ESP30-700-12-A11-XXX							
15-36V DC	LUXX-ESP30-700-24-A11-XXX																
ESP30 Touch	23.1" touch			600.3 x 64.1 x 23.1					Android 11.0	12V DC				no	≤18W	USB-C	LUXX-ESP30T-700-12-A11-XXX
ESP30 Sensor	23.1" sensor			597.2 x 61.8 x 26.6						15-36V DC				yes			LUXX-ESP30T-700-24-A11-XXX
		Android 11.0	12V DC		no	LUXX-ESP30S-700-12-A11-XXX											
			15-36V DC		yes	LUXX-ESP30S-700-24-A11-XXX											
Screen Protector														LUXX-ESP30-PC			
ESP50	35"	3840 x 200	877.8 x 45.2	891.6 x 60.4 x 25.8	400cd/	1000:1	1.07G	50000 hours	Android 11.0	12V DC	no	≤18W	USB-C	LUXX-ESP50A-400-12-A11-XXX			
										15-36V DC	yes			LUXX-ESP50A-400-24-A11-XXX			
ESP50 Sensor	35"	3840 x 200	877.8 x 45.2	891.6 x 60.4 x 25.8	400cd/	1000:1	1.07G	50000 hours	Android 11.0	12V DC	no	≤18W	USB-C	LUXX-ESP50S-400-12-A11-XXX			
										15-36V DC	yes			LUXX-ESP50S-400-24-A11-XXX			
Screen Protector														LUXX-ESP50-PC			
ESP60	37.8"	2880 x 158	959.04 x 52.614	977 x 70 x 21	500cd/	1000:1	1.07G	30000 hours	Android 11.0	12V DC	no	≤28W	USB-C	LUXX-ESP60-500-12-A11-XXX			
										15-36V DC	yes			LUXX-ESP60-500-24-A11-XXX			
ESP60 Sensor	37.8" sensor								Android 11.0	12V DC	no			LUXX-ESP60S-500-12-A11-XXX			
										15-36V DC	yes			LUXX-ESP60S-500-24-A11-XXX			
Screen Protector														LUXX-ESP60-PC			
ESP65	47.1" 47.1"	3840 x 160	1196.16 x 49.84	1214.8 x 68.8 x 25	500cd/	1000:1	16.7M	30000 hours	Android 11.0	12V DC	no	≤35W	USB-C	LUXX-ESP65-500-12-A11-XXX			
										15-36V DC	yes			LUXX-ESP65-500-24-A11-XXX			
ESP65 Sensor	47.1" sensor 47.1"	3840 x 160	1196.16 x 49.84	1214.8 x 68.8 x 25	500cd/	1000:1	16.7M	30000 hours	Android 11.0	12V DC	no	≤35W	USB-C	LUXX-ESP65S-500-12-A11-XXX			
										15-36V DC	yes			LUXX-ESP65S-500-24-A11-XXX			
Screen Protector														LUXX-ESP65-PC			

eShelf®

Header Displays

These high-definition screens deliver sharp, vibrant content with high visibility. They offer 24/7 continuous use in retail environments, even without a network connection.

Perfect for clear, eye-catching digital signage, as well as promotions and information.

- Compatible with a broad range of input voltages
- Stand-alone unit
- Hassle-free operation
- Offered in Android 11 for enhanced data safety, video playback multi-tasking and more



High Visibility

Bold signage that stands out over the shelf



Premium Screen

High resolution LCD screen for beautiful branding and clear messaging



Bright and Crisp

Clear signage that stands out on shelving

COMPATABLE MOUNTING BRACKETS

Style	SKU
Standard Flat Bracket	ESP-BRC-H-F
Standard L-Shaped Bracket	ESP-BRC-H-L

SYSTEM AND CONNECTIVITY

Android System		WIFI	Encryption
Android 8.1	Android 9.0	2.4G	/
Android 11.0	Android 13.0	2.4G + 5G	WPA2/WPA3

WARRANTY & CERTIFICATIONS



eShelf®

Tablet Size

Consumer engagement that fits your retail space.

The LUXX Tablet adds vibrant branding to retail environments. It's the perfect way to display promotional content as well as product information in-store.


This tablet size unit can be placed on walls or custom POS units.

- Industrial-grade A+ LCD panel with HD clarity and an ultra-wide viewing angle
- Smooth multi-program playback
- Remote control
- Now offered in Android 11 for enhanced data safety, superior video playback, enhanced multi-tasking and more



Instant Attention

Engaging signage to communicate promotions, video and customer engagement right at the shelf.



Double-Sided Option

Communicate with consumers approaching from multiple directions.

COMPATABLE MOUNTING BRACKETS

Type	SKU
Standard Flat Bracket	tbc
Double-Sided Bracket	tbc

SPECIFICATIONS

Model	Screen Size	Resolution V x H (px)	Active Area H x V (mm)	Dimension L x H x D (mm)	Brightness (nits)	Contrast Ratio	Display Color	Lifespan	System	Input Voltage	Polarity Protection	Power	Power Input Interface	SKU
ESP15	15.6"	1920 x 1080	344.16 x 193.59	357 x 211.4 x 19	250cd/	3000:1	16.7M	30000 hours	Android 8.1	12V DC	yes	≤20W	USB-C	LUXX-ESP15-300-12-A8.1-XXX
										15-36V DC				LUXX-ESP15-300-24-A8.1-XXX
									Android 11.0	12V DC	no			LUXX-ESP15-300-12-A11-XXX
										15-36V DC	yes			LUXX-ESP15-300-24-A11-XXX
Screen Protector														LUXX-ESP15-PC
ESP15D	15.6"	1920 x 1080	344.16 x 193.59	357 x 211.4 x 42	250cd/	3000:1	16.7M	30000 hours	Android 8.1	12V DC	yes	≤20W	USB-C	LUXX-ESP15D-300-12-A8.1-XXX
										15-36V DC				LUXX-ESP15D-300-24-A8.1-XXX
									Android 11.0	12V DC	no			LUXX-ESP15D-300-12-A11-XXX
										15-36V DC	yes			LUXX-ESP15D-300-24-A11-XXX
Screen Protector														LUXX-ESP15D-PC

WARRANTY & CERTIFICATIONS



+ more by request



eShelf®

Digital Display Box

Bring products to life before your customers' eyes. This display box combines physical and digital elements to create a vibrant in-store display.

The transparent LCD screen overlays content like videos, branding or product information over a sleek display case that houses your product. Ideal for retail environments, museums, food establishments and beyond.

- Contemporary metal finish, featuring a high-transparency tempered glass front
- Industrial-grade A+ LCD display with full HD 1920×1080 resolution and ultra-wide 178° viewing angle
- Effortless remote management, seamless multi-program looping, and full touchscreen compatibility via B/S architecture



Front - Light Off

Focuses attention on Your Video



Front - Light On

Reveals the product behind the video



Back of Unit

Secures your product

SPECIFICATIONS

Model	Screen Size	Resolution V x H (px)	Active Area H x V (mm)	Dimension L x H x D (mm)	Transparency	Contrast Ratio	Display Color	Lifespan	System	Input Voltage	Polarity Protection	Power	Power Input Interface	SKU
DPB15	15.6"	1920 x 1080	345 x 194	385 x 256 x 100	≥75%	1000:1	16.7M	30000 hours	Android 7.1	12V DC	no	16W	DC 5521	LUXX-DPB15-075-12-7.1-XXX
DPB25	18.5"	1920 x 1080	410.8 x 231.4	450.8 x 294.4 x 150	≥75%	1000:1	16.7M	30000 hours	Android 7.1.1	12V DC	no	18-19W	DC 5521	LUXX-DPB25-075-12-7.1-XXX

WARRANTY & CERTIFICATIONS



+ more by request



eShelf®

Digital Photo Frame

Delivers sharp, vibrant content around the clock.

This display features a built-in stand for simplicity and easy movement. Great for showcasing promotions, menus, product information and educational material. No internet connection is needed. Perfect for continuous use in retail, hospitality, and other commercial settings.

- Our high-definition LCD display delivers crystal-clear visuals
- Industrial-grade A+ LCD HD resolution
- Ultra-wide 178° viewing angle
- Effortless remote management, seamless multi-program looping
- Available in 13", 15.6", 17.3 and 27



WARRANTY & CERTIFICATIONS



+ more by request

SPECIFICATIONS

Model	Screen Size	Resolution	Active Area H x V (mm)	Dimension L x H x D (mm)	Brightness (nits)	Aspect Ratio	Backlight	Lifespan	Screen Performance	Input Voltage	Polarity Protection	Current	Power Input Interface	SKU
DPF13	13"	1280 x 800	285 x 178	317 x 219 x 26	300cd/m²	16:9	LED	30000 hours	IPS Full Viewing Angle	12V DC	no	1000mA	DC 5521	LUXX-DPF13-300-12-XXX
		1920 x 1080			500cd/m²									LUXX-DPF13-500-12-XXX
DPF15	15.6"	1920 x 1080	345 x 195	394 x 243 x 23	300cd/m²							1500mA	DC 5521	LUXX-DPF15-300-12-XXX
DPF17	17.3"	1920 x 1080	379 x 213	409 x 269 x 25	300cd/m²							1000mA	DC 5521	LUXX-DPF17-300-12-XXX
DPF27	27"	1920 x 1080	337 x 598	662 x 400 x 41	350cd/m²							1000mA	DC 5521	LUXX-DPF27-350-12-XXX

eShelf® Mounting Brackets

Standard Flat Bracket



Lozier Bracket



Movable Header Bracket



Standard L Shape Bracket



Tego Shelf Bracket



Madix Shelf Bracket



Glass Shelf Bracket





LoziBoxx™

LED Light Box

Elevate shelving displays with vivid visuals. This sleek, 12" height light box is crafted exclusively for Lozier and Lozier compatible shelving systems.

Ideal for showcasing promotions, menus, or product details.

- Compatible with Lozier and Lozier compatible gondolas
- Consistent aesthetics and fit
- Continuous 24/7 operation
- Available in standard and extra bright



Magnetic Frame

Swap visuals in minutes



Brilliant Light Box

High-impact marketing in retail spaces



Convenient

Front wiring for easy shelf retrofits

SPECIFICATIONS

Voltage	24 VDC	Shelf Size	3' Shelf	4' Shelf	5' Shelf
Power	11.5W – 42 W	LoziBoxx™ Size (L * W * H)	34.5 x 11.7 x 0.35" (876 x 298 x 8.8 mm)	46.5 x 11.7 x 0.35" (1181 x 298 x 8.8 mm)	58.5 x 11.7 x 0.35" (1486 x 298 x 8.8 mm)
Color Temperature	6500 K	Poster Size (L1 * W1)	32.6 x 9.86" (828.5 x 250.5 mm)	44.6 x 9.86" (1133.5 x 250.5 mm)	56.6 x 9.86" (1438.5 x 250.5 mm)
Brightness	Standard: 2500 cd/m² Extra bright: 5000 cd/m²	Light-up Area (L2 * W2)	31.6 x 8.85" (802.8 x 224.8 mm)	43.6 x 8.85" (1107.8 x 224.8 mm)	55.6 x 8.85" (1412.8 x 224.8 mm)

Product Color	Black (Other options on request: size, product color, color temperature and more)
----------------------	--

	3' Shelf	SKU	4' Shelf	SKU	5' Shelf	SKU
Standard	11.5 W	LUXX-LBX-MG-3-65	16 W	LUXX-LBX-MG-4-65	20.5 W	LUXX-LBX-MG-5-65
Extra-Bright	23 W	LUXX-LBX-MG-3-65HB	32 W	LUXX-LBX-MG-4-65HB	41 W	LUXX-LBX-MG-5-65HB

WARRANTY & CERTIFICATIONS





Shelftag Lighting Fixture

(Patented)

Retrofit standard retail shelving to brighten shelf edges and under-shelves for brilliant, eye-catching displays.

Our Shelf Tag Light performs double duty, illuminating price tags through a dedicated extruded light guide, as well as products in the shelf below.

FEATURES

- Illuminates price tags and promotional material at the shelf edge
- Shines 30° down to evenly light products on the shelf below
- Provides an evenly spread light for a shelf up to 24" (500 mm) high x 24" (500 mm) deep
- Fits most standard retail shelves

VERSIONS



Standard



Scantech®



Lozier® & Madix®



Tegometall®

SPECIFICATIONS

Shelf Deck Size	24" (609.6 mm)	30" (762 mm)	36" (914.4 mm)	48" (1219.2 mm)	60" (1524 mm)
Length*	23" (584 mm)	29.5" (749.3 mm)	35.5" (901.7 mm)	47.5" (1206.5 mm)	59" (1498.6 mm)
Power	6.2 W	7.9 W	9.6 W	13 W	16 W
Input Voltage	24 V DC				

* Custom lengths available on request. Maximum length 98.4" (2500 mm)


LEDS

Type	2835 SMD				
Qty	120 pcs				
Color	3500, 4500, 6500 K				
CRI	90				
Beam Angle	30° front side up, 30° back side down				
Efficiency	100 lm/W				
Light Output	620 lm	790 lm	960 lm	1300 lm	1600 lm
Lumen	1050 lm/m				


APPEARANCE

Material	Anodized aluminium, PMMA, PVC				
Diffuser	Clear				
Warranty	3 years				


SHELF DECKS




Standard



Madix®



Lozier®





Tegometall®

Shelf Lighting

Light that turns
browsers into buyers.





LoziLight®

Illuminate your Lozier® shelving with this innovative solution. The LoziLight® lets you effortlessly convert your conventional retail shelves into brilliantly lit LED product displays.

Experience quick and hassle-free installation as LoziLight® attaches to your retail metal shelf using its integrated magnetic wires. Its design can be cut to your desired length.



SPECIFICATIONS

Shelf Deck size	2'	30"	3'	48" / 4'	60" / 5'
Length LoziLight®	21" (533.4 mm)	28" (711.2 mm)	34" (863.6 mm)	44" (1117.6 mm)	57" (1447.8 mm)
Color Temperature	5000 K (3-step)				
CRI	90				
Efficiency	130 lm/W				
Power	3.3 W	4.4 W	4.5 W	7.2 W	9.3 W
Lumen	430 lm	570 lm	715 lm	935 lm	1200 lm
Magnets for quick installation	4	4	6	8	10
Input Voltage	24 V DC				
Packing Style	brown box, single pack				
Warranty	5 years				

Transform shelves into
showcases.

Electrification



PowerTraxx™

Roll It!

The world's first magnetic power track that rolls up!

Electrify your existing retail metal shelves without removing shelves. With its super thin design, this power track fits between the back wall of your shelf and the shelf decks.






FEATURES

- Snap-in installation: Power track and adapters come with strong magnets for instant installation
- Easy transport: Comes in 10 m reels
- Flexible: Can be cut to length using scissors
- Hassle-free: Our Schottky Bridge Rectifiers enable connectors and cables to function regardless of placement on the track
- Long-lasting: Reliable connectivity due to gold or tin-plated copper tracks

SPECIFICATIONS

Item	Specs
PowerTraxx® Roll It! (tin + white)	Max. current per class 2 (US) / 8A (EU) / DC5~48V Tin-plated copper tracks, white surface Width: 15mm Length: 10M SKU: TR-W04-1000
PowerTraxx® Roll It! (tin + black)	Max. current per class 2 (US) / 8A (EU) / DC5~48V Tin-plated copper tracks, black surface Width: 15mm Length: 10M SKU: TR-B04-1000
PowerTraxx® Roll It! (gold + white)	Max. current per class 2 (US) / 8A (EU) / DC5~48V Gold-plated copper tracks, white surface Width: 15mm Length: 10M SKU: TR-W02-1000
Input Cable	Input Voltage: 5-48 V DC Input Current: Max. current per class 2 (US) / 8A (EU) Lead Wire: UL 20276, AWG 18, black SKUs: TRC-IN-B02-D18-100 (1m) TRC-IN-B02-D18-200 (2m)
Output XHP	Input Voltage: 5-48 V DC SKUs: TRC-OUT-XHP-B02, max. 1 A, XHP2 outlet, black TRC-OUT-XHP-B04, max. 2.4 A, XHP2 outlet, black
Output Cable	Input Voltage: 5-48 V DC Lead Wire: 19.69" (0.5 m), UL20276, AWG 20, black, open ends SKUs: TRC-OUT-B08-D20-050 (max. 1 A) TRC-OUT-B10-D20-050 (max. 2.4 A)



LoziTraxx™

Electrification made for North American shelving using pegboard back walls

Easy to install, elegant shelf power with permanent results. No downtime needed.




FEATURES

- Simple: Our super slim power track slides between shelving and back panel for easy installation without removing shelving
- Easy transport: Comes in convenient 10m reels
- Flexible: Can be cut to length using scissors
- Long-lasting: Reliable connectivity due to gold-plated copper tracks




Mounting Bracket

Secures our power track to pegboard shelf backs




LoziTraxx™ Output XHP

Secures to pegboard shelf backs to electrify your lighting and retail technology




SPECIFICATIONS

Item	Specs	SKU
LoziTraxx™ track (tin + white)	Max. current per class 2 (US) / 8A (EU) / DC5~48V Tin plated copper tracks, white surface Width: 15mm Length: 10M	TR-W04-1000
LoziTraxx™ track (tin + black)	Max. current per class 2 (US) / 8A (EU) / DC5~48V Tin plated copper tracks, black surface Width: 15mm Length: 10M	TR-B04-1000
LoziTraxx™ track (gold + white)	Max. current per class 2 (US) / 8A (EU) / DC5~48V Gold-plated copper tracks, white surface Width: 15mm Length: 10M	TR-W02-1000
Input Cable	Input Voltage: 5-48 V DC Input Current: Max. current per class 2 (US) Lead Wire: UL20276, AWG 18 Color: Black	TLC-IN-B01-D18-100 (1m); TLC-IN-B01-D18-200 (2m)
LoziTraxx™ Output XHP	Input Voltage: 5-48 V DC Color: Black	TLC-OUT-XHP-B02, max 1A, XHP2 outlet TLC-OUT-XHP-B04, max 2,4A, XHP2 outlet
Mounting Bracket	Color: Black	TLC-BRC-B01




PowerTraxx™ Mount It!

Our compact, easy and flexible power track that effortlessly electrifies shelving.




FEATURES

- Super slim design, only 14 mm wide, 6 mm thin
- Ready to use without the need of any tools
- Easy installation, easy adjustment
- Three different mounting ways
- Multiple accessories and feeds for flexible installation




CONNECTING DIAGRAM



PowerTraxx™ Mount It!

SPECIFICATIONS

Item	Specs
Power Track	Max. 10A (EU) / per class 2 (US) 5-48 V DC Max. 98.43" (2.5 m) Magnetic / VHP tape / clip Color: Black or white
Input Cable	Input Voltage: 5-48 V DC Input Current: max. 10 A (EU) / per class 2 (US) Lead wire: 39.37" / 78.74" (1 m / 2 m) Color: Black or white
Output Cable	Input Voltage: 5-48 V DC Input Current: Max. 5A (EU) / per class 2 (US) Lead wire: 15.75" / 23.62" / 39.37" (0.4 m / 0.6 m / 1 m) Color: Black or white



Standard length: 39.37 " , 59.06 " , 78.74 " , 98.43 " (1000 mm, 1500 mm, 2000 mm, 2500 mm)

Custom length: can be cut into any length, Maximum 98.43 " (2500 mm)



Mounting: Plastic Clip / Magnetic Strip / Adhesive Tape



Magnetic Cable Channel

Clean and tidy cabling in metal shelves. Our cable channels are the perfect way to keep cables in the right position. Fast and convenient installation. The perfect accessory for our power tracks.

Available in 0.79" and 4.72" (20 mm and 120 mm)



LUXX Light Technology (Shenzhen) Ltd.

Building C, 3rd Floor, Jinhao Pioneer Park
Da Fu Road, Longhua District
ShenZhen, GuangDong, China 518107

Phone : +86 755 27049942
Email : info@luxx.cn
Web : www.luxx.cn

Display Logic USA, Inc. (Retail Technology Distributor)

40 Oser Ave, Suite 3
Hauppauge, NY 11788
USA

Phone : +1 631-406-1922
Email : info@displaylogic.com
Web : www.displaylogic.com

LUXX Light + Retail Technology (USA) Inc.

4203 Fallston Rd,
Shelby, NC 28150
USA

Phone : +1 704 909 7361
Email : info@luxx.com
Web : www.luxx.com

Sun Electronics S.R.L. (Distributor)

Via Leonardo da Vinci 24/A
20094 Corsico (Milan)
Italy

Phone : +39 02 95327303
Email : info@sunleds.it
Web : www.sunleds.it

LUXX Light Technology (Canada) Inc

55 Commerce Valley Dr W,
Thornhill, ON L3T 7P4
Canada

Phone : +1 647 348-2207
Email : info@luxx-light.com
Web : www.luxx-light.com

EL LUMINAIRE AŞ (Retail Technology Distributor)
Including Turkey, Qatar, Bahrain, Saudi Arabia,
United Arab Emirates, Romania

Yesilbaglar Mah. Selvili Sok. 2/2 Helis Beyaz Ofis
No.13 Pendik, Istanbul
Turkey

Phone : +90 216 504 51 15
Email : info@elluminaire.com
Web : www.elluminaire.com

LEDtec GmbH

Abelbachstr. 13
33142 Bueren,
Germany

Phone : +49 2951 93838-300
Email : info@ledtec.eu
Web : www.ledtec.eu

LUXX Light + Retail Technology



Scan to view our
full catalog